

TWINKLE Stainless Steel Cleaner & Polish

HMIS	1	NFPA		Personal protective		1
Health	1	1	1	i ersonal protective	equipment	
Fire Hazard	4	4	None / Aucune / Ninguno			
Reactivity	0	0				
Version Number: 1	Ű	Ű	J		Prena	ration date: 2007-06-26
		1. PF	RODUCT AND COMPA		1	
		I. PI			N	
Product name:		TWIN	KLE Stainless Steel Cleaner &	& Polish		
MSDS #:		12615	5001			
Product Code:	Product Code: 91224					
Recommended use:		Indust	rial/Institutional. Cleaning pro	duct.		
Manufacturer, importer,	supplier:					
US Headquarters Canadian Headquarters						
	JohnsonDiversey, Inc. JohnsonDiversey - Canada, Inc.					
8310 16th St. Sturtevant, Wisconsin 531	77 0002		401 Bristol Circle			
Phone: 1-888-352-2249	11-0902		Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131			
MSDS Internet Address:		•				
www.johnsondiversey.com	n					
Emergency telephone nu	umber:	1-800-	-851-7145 (Prosar); 1-651-91	7-6133 (Int'l Prosar); 01-8	00-710-3400 (México)	
			2. HAZARDS IDEN	TIFICATION		
EMERGENCY OVERVIE	N					
CAUTION. CONTENTS U	INDER PRE	SSURE. MAY	BE MILDLY IRRITATING TO	EYES. MAY BE MILDLY	IRRITATING TO SKI	N.
Principle routes of expo	sure:	Eve co	ontact. Skin contact. Inhalation	٦.		
Eye contact:						
Skin contact:		May be mildly irritating to skin.				
Inhalation:		None				
Ingestion:		None	known.			
		3. COM	POSITION/INFORMATI	ON ON INGREDIEN	ITS	
HAZARDOUS COMPONE	INTS					
Ingredient(s)	-	CAS	# Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Butane		106-97	7-8 5 - 10%	Not available	Not available	=658 g/m ³ (4 h)
Propane		74-98-		Not available	Not available	Not available
			4. FIRST AID ME	ASURES		

Eye contact: Skin contact:	Flush immediately with plenty of water. If irritation develops, get medical attention. Flush immediately with plenty of water. If irritation develops, get medical attention.
Inhalation:	No specific first aid measures are required.
Ingestion:	No specific first aid measures are required.
Aggravated Medical Conditions:	None known.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

Personal precautions: Environmental precautions and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.). Remove all sources of ignition. No information available

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. Keep away from open flames, hot surfaces and sources of ignition. Do not use or spray on floors. Do not let product overspray on to the floor as the product's ingredients could make the floor slippery. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. NFPA 30B Level 1 Aerosol . Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: Hand protection: Skin and body protection: Respiratory protection: Hygiene measures:

No special requirements under normal use conditions. No special requirements under normal use conditions No special requirements under normal use conditions. No special requirements under normal use conditions. Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Butane	106-97-8	1000 ppm (TWA)		800 ppm (TWA) 1900 mg/m³ (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m³ (TWA)	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aerosol	Bulk density:	No information available
pH:	10.8	Dilution pH:	No information available.
Appearance:	Aerosol	Vapor density:	No information available
Color:	White	Evaporation Rate	No information available
Odor:	Lemon	Boiling point/range:	Not determined
Specific gravity:	0.85	Melting point/range:	Not determined
Density:	7.09 lbs/gal	Decomposition temperature:	Not determined
VOC:	15% *	Autoignition temperature:	No information available
Flash point:	<20°F <7°C	Partition coefficient (n-octanol/w	vater): No information available
Solubility:	Dispersible	Solubility in other solvents:	No information available
Viscosity:	No information available	Elemental Phosphorus:	0 %P

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability:	-
Polymerization:	H
Hazardous decomposition products:	1

The product is stable Hazardous polymerization does not occur None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

 Acute toxicity:
 Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg

 Component Information:
 See Section 3

 Chronic toxicity:
 None known

 Specific effects:
 None known

 Mutagenic effects:
 None known

 Reproductive toxicity:
 None known

 Target organ effects:
 None known

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Silicones	63148-62-9	-	-	-	-
Butane	106-97-8	Х	Х	Х	Х
Propane	74-98-6	Х	Х	Х	Х
Water	7732-18-5	-	-	-	-
White mineral oil	8042-47-5	-	-	-	-

CERCLA/ SARA

SARA 311/312 Hazard Categories

Immediate:	-
Delayed:	-
Fire:	Х
Reactivity:	-
Sudden Release of Pressure:	Х

Canada

WHMIS hazard class: A Compressed gases.



Ingredient(s)	CAS #	NPRI
Butane	106-97-8	Х
Propane	74-98-6	Х

16. OTHER INFORMATION

Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.