MATERIAL SAFETY DATA SHEET

Johnson wax PROFESSIONAL

BRAVO 1500+ Floor Stripper

HMIS		NFPA	Personal protective equipment		
Health	3	3	and South		
Fire Hazard	0	0			
Reactivity	0	0			

Version Number: 2 Preparation date: 2006-07-28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BRAVO 1500+ Floor Stripper

MSDS #: MS0200018 **Product code:** 04639, 4327406

Recommended use: Floor stripper. This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

US Headquarters
JohnsonDiversey, Inc.

8310 16th St.
Sturtevant, Wisconsin 53177-0902

Canadian Headquarters
JohnsonDiversey - Canada, Inc.
2401 Bristol Circle
Oakville, Ontario L6H 6P1

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

Phone: 1-800-668-3131

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE. CAUSES SKIN AND EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Eye contact. Skin contact. Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Skin contact: Corrosive. Causes permanent damage .

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat	LD50 Dermal -	LC50 Inhalation - Rat
		_		Rabbit	
Monoethanolamine	141-43-5	1 - 5%	= 1720 mg/kg	= 1 mL/kg	Not available
Sodium hydroxide	1310-73-2	1 - 5%	=140 mg/kg	= 1350 mg/kg	Not available
2-butoxyethanol	111-76-2	10 - 20%	= 470 mg/kg	= 220 mg/kg	= 2.21 mg/L (4h)
					= 450 ppm (4h)

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15-20 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Flush immediately with plenty of water for at least 15-20 minutes. Get medical attention immediately.

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion: If swallowed, give a cupful of water or milk. THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON

CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by

mouth to an unconscious person.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire .

Specific hazards: Not applicable

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required

BRAVO 1500+ Floor Stripper 1 of 4

5. FIRE-FIGHTING MEASURES

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective equipment

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Prevent product from entering drains. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. **Storage:**

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF THE REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical splash goggles. Hand protection: Chemical resistant gloves

Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that

meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace

conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS#	ACGIH	OSHA	Mexico
Monoethanolamine	141-43-5	6 ppm (STEL)	3 ppm (TWA)	15 mg/m³ (STEL)
		3 ppm (TWA)	6 mg/m³ (TWA)	6 ppm (STEL)
				3 ppm (TWA)
				8 mg/m³ (TWA)
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)	2 mg/m³ (Ceiling)
2-butoxyethanol	111-76-2	20 ppm (TWA)	Skin	75 ppm (STEL)
			240 mg/m ³ (TWA)	360 mg/m ³ (STEL)
			50 ppm (TWA)	120 mg/m ³ (TWA)
				26 ppm (TWA)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk density: No information available Liquid pH: Dilution pH: No information available. 13.2 Appearance: Aqueous solution Vapor density: No information available Color: **Evaporation Rate** No information available Clear

Odor: No information available Boiling point/range: Not determined Specific gravity: 1.02 Melting point/range: Not determined Not determined Specific gravity: Not de

Density: 8.53

Decomposition temperature: Not determined

VOC: 21.4

Metting pointrange: Not determined

Not determined

Not determined

Not determined

Not determined

Not information available

Flash point: >200 (°F) >93.3 (°C) Partition coefficient (n-octanol/water): No information available

Solubility:SolubleSolubility in other solvents:No information availableViscosity:No information available

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerization does not occur

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Acids

BRAVO 1500+ Floor Stripper

11. TOXICOLOGICAL INFORMATION

Acute toxicity Corrosive. Oral LD50 estimated to be between 500 - 2000 mg/kg, Dermal LD50 estimated to be > 2000

mg/kg.

Component Information: See Section 3
Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations. Undiluted product is regulated under environmental and transportation laws as a corrosive waste.

RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Monoethanolamine	141-43-5	Χ	Χ	X	X
Sodium hydroxide	1310-73-2	X	X	-	X
Sodium xylene sulfonate	1300-72-7	1	1	-	-
2-butoxyethanol	111-76-2	Χ	Χ	X	X

CERCLA/ SARA

<u>OLIVOLAI VAIVA</u>					
Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	1 - 5%	1000		
2-butoxyethanol	111-76-2	10 - 20%			Х

SARA 311/312 Hazard Categories

 Immediate:
 Y

 Delayed:
 N

 Fire:
 N

 Reactivity:
 N

 Sudden Release of Pressure:
 N

<u>Canada</u>

WHMIS hazard class: E Corrosive material .



Ingredient(s)	CAS#	NPRI
2-butoxyethanol	111-76-2	X

16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.