

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PROTEC SEMI-GLOSS ALKYD EMULSION

Product Code .9800
Revision Date: 06/03/2016
Print Date: 2016-06-20

Product Class WATER THINNED PAINT

Recommended use Paint

Restrictions on use No information available

Manufacturer
Vista Paint Corporation
2020 E. Orangethorpe Ave.
Fullerton, CA 92831
714.680.3800

Emergency Telephone Number(s): 800.535.5053 (Infotrac)

2. HAZARD(S) IDENTIFICATION



GHS Pictograms:

Signal Word: Warning

GHS Classifications: H319 - Eye irritant H315 - Skin Irritant

Hazard Statements: Causes eye and skin irritation

Precautionary Statements: P103 – Read label before use.

P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 – Wash hands thoroughly after handling. **P273** – Avoid release to the environment.

P281 – Wear protective equipment as required – respirator/safety

glasses/gloves.

P285 – In case of inadequate ventilation wear respiratory protection.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician.

P302 + P350 – IF ON SKIN: Gently wash with plenty of water and soap.
P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens, if present and easy to do. Continue rinsing.

P501 – Dispose of contents/container in accordance with local/state/federal regulations.

HNOC: Not Applicable

Other information: No information available

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION

of 7

Product Code: .9800

Vista Paint Corporation

3. COMPOSITION INFORMATION ON COMPONENTS

Hazardous Component	CAS Number	<u>Weight %</u>		
Titanium Dioxide	13463-67-7	22.18		
Aluminum Hydroxide	21645-51-2	1.23		
*Sodium nitrite	7632-00-0	0.13		

4. FIRST AID MEASURES

No hazards which require special first aid measures. **General Advice:**

Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician.

Skin Contact: Wash off immediately with soap and plenty of water removing all contaminated

clothes and shoes.

Move to fresh air. If symptoms persist, call a physician. Inhalation:

Clean mouth with water and afterwards drink plenty of water. Consult a Ingestion:

physician if necessary.

Most Important Symptoms/Effects: None known.

Notes To Physician: Treat symptomatically.

FIRE-FIGHTING MEASURES

NFPA: 1-0-0

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Protective Equipment And As in any fire, wear self-contained breathing apparatus **Precautions For Firefighters:**

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear.

Specific Hazards Arising Closed containers may rupture if exposed to fire or extreme heat

From The Chemical:

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION Vista Paint Corporation Page 2

Product Code: .9800

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information: Prevent further leakage or spillage if safe to do so.

Environmental Precautions: See Section 12 for additional Ecological Information.

Methods For Clean-Up: Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists

or sanding dust. In case of insufficient ventilation, wear suitable respiratory

equipment.

Storage: Keep container tightly closed. Keep out of the reach of children. Keep from

freezing.

Incompatible Materials: No information available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits			AGCIH		Exposure I			., _
REPORTABLE COMPONENTS	CAS NUM	WT BER % 	LV/TWA PPM		STEL G/M3 PPI	=		Vapor Pressure mm Hg @TEMP
Titanium Dioxide	13463-67-7	22.18	10	-	10	-	-	-
Aluminum Hydroxide	21645-51-2	1.23	-	-	-	-	-	10 @ 1732 C
*Sodium nitrite	7632-00-0	0.13	-	-	-	-	-	-

Eye/Face Protection: Safety glasses with side-shields.

Skin Protection Protective gloves and impervious clothing.

Respiratory Protection In case of insufficient ventilation wear suitable respiratory equipment.

Engineering Measures: Ensure adequate ventilation, especially in confined areas.

Hygiene Measures: Avoid contact with skin, eyes and clothing. Remove and wash

contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION

of 7

Product Code: .9800

Evnocuro Limito

Vista Paint Corporation

Appearance Liquid

Odor Little or no odor

Odor Threshold No information available

Density (lbs./gal) 10.00 Specific Gravity 1.20

pH No information available
Viscosity (cps) No information available
Solubility No information available
Water Solubility No information available
Evaporation Rate No information available
Vapor Pressure No information available
Vapor Density No information available

 Wt. % Solids
 46.07

 Vol. % Solids
 34.74

 Wt. % Volatiles
 53.93

 Vol. % Volatiles
 34.74

 Coating VOC
 9.80 g/l

 Material VOC
 3.44 g/l

 Boiling Point (°F)
 212 °F

Freezing Point (°F)

Flash Point (°F)

Flash Point Method

Flammability (solid, gas)

Upper Explosion Limit

Lower Explosion Limit

Not applicable

Not applicable

Not applicable

Autoignition Temperature (°F)

Decomposition Temperature (°F)

Partition Coefficient (n-octanol/water)

No information available
No information available

10. STABILITY AND REACTIVITY

Reactivity Not Applicable

Chemical Stability Stable under normal conditions.

Conditions To Avoid Prevent from freezing

Incompatible Materials No materials to be especially mentioned.

Hazardous Decomposition Products

None under normal use.

Possibility Of Hazardous Reactions None under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

Principal Routes of Exposure: Eye contact, skin contact and inhalation.

Acute Toxicity: No information available

Symptoms No information available

Eye contact May cause slight irritation.

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION

of 7

Product Code: .9800

Vista Paint Corporation

Skin contact Substance may cause slight skin irritation. Prolonged or

repeated contact may dry skin and cause irritation.

May cause irritation of respiratory tract. Inhalation

Ingestion Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

No information available Sensitization:

No information available. **Neurological Effects**

Mutagenic Effects No information available.

No information available. **Reproductive Effects**

No information available. **Developmental Effects**

No information available. **Target Organ Effects**

STOT - single exposure No information available.

STOT - repeated exposure No information available.

No information available. Other adverse effects

No information available **Aspiration Hazard**

Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

Chemical Name	IARC	NTP	OSHA Carcinogen
	2B - Possible Human		Listed
Titanium dioxide (If Listed)	Carcinogen		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety & Health Administration

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects The environmental impact of this product has not been fully

investigated.

Acute Toxicity to Fish (Titanium Dioxide) LC50: > 1000 mg/L (Fathead Minnow - 96 hr.)

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION

Product Code: .9800

Vista Paint Corporation

Acute Toxicity to Aquatic Invertebrates No information available

Acute Toxicity to Aquatic Plants

No information available

Persistence / Degradability

No information available

Bioaccumulation / Accumulation No information available

Mobility in Environmental Media No information available

Ozone No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with federal, state, provincial, and local regulations.

Local requirements may vary, consult your sanitation department or

state-designated environmental protection agency for more disposal options.

14. TRANSPORT INFORMATION

DOT Not regulated

ICAO / IATA Not regulated

IMDG / IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA: United StatesYes - All components are listed or exempt.

Yes - All components are listed or exempt.

Federal Regulations

SARA 311/312 hazardous categorization

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

*Sodium nitrite 7632-00-0

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION

of 7

Product Code: .9800

Vista Paint Corporation

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs: None

State Regulations

California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm at levels less than required for reporting (<0.1%) unless listed in section III.

16. OTHER INFORMATION

HMIS Health: 1* Flammability: 0 Reactivity: 0 PPE: X

Prepared By Vista Paint Corporation

2020 East Orangethorpe Avenue

Fullerton, CA 92831

714.680.3800

SDS Form Date: 2015.12.31

Revision Summary Not available

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

END OF SAFETY DATA SHEET

Product Name: PROTEC SEMI-GLOSS ALKYD EMULSION

of 7

Product Code: .9800