

SAFETY DATA SHEET

Creation Date 09-June-2009

Revision Date 25-April-2019

Revision Number 5

1. Identification

Product Name Hydrogen Peroxide 3%

Cat No. : H312-4; H312-500; H312P-4; H312SAM-1; H312SAM-2; H312SAM-3;
H324-500; XX32455GAL; XXH31212OGAL; XXH31255GA;
XXH312200LI; NC1552940

CAS-No 7722-84-1
Synonyms Hydrogen dioxide; Hyperoxide (USP/Certified)

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor
Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,
Canada
Tel: 1-800-234-7437

Manufacturer

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA:
800-424-9300
CHEMTREC®, Outside the USA:
001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

| | |
|--|------------|
| Skin Corrosion/irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 1 |

Label Elements

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye damage

**Precautionary Statements****Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN: Wash with plenty of soap and water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor

Take off contaminated clothing

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Light sensitive

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|-------------------|-----------|----------|
| Water | 7732-18-5 | 97 |
| Hydrogen peroxide | 7722-84-1 | 3 |
| Acetic acid | 64-19-7 | <1 |

4. First-aid measures

| | |
|--|---|
| General Advice | If symptoms persist, call a physician. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Inhalation | Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Most important symptoms/effects | None reasonably foreseeable. Causes severe eye damage. |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---------------------------------------|--------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |

Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Non-combustible. Containers may explode when heated.

Hazardous Combustion Products

oxygen

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
2

Flammability
0

Instability
1

Physical hazards
N/A

6. Accidental release measures

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | Alberta | British Columbia | Ontario TWAEV | Quebec | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------|--|-----------------------------|-----------------------------|--|-----------------------------|--|--|
| Hydrogen peroxide | TWA: 1 ppm TWA: 1.4 mg/m ³ | TWA: 1 ppm | TWA: 1 ppm | TWA: 1 ppm TWA: 1.4 mg/m ³ | TWA: 1 ppm | (Vacated) TWA: 1 ppm (Vacated) TWA: 1.4 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³ | IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m ³ |
| Acetic acid | TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³ | TWA: 10 ppm STEL: 15 ppm | TWA: 10 ppm STEL: 15 ppm | TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³ | TWA: 10 ppm STEL: 15 ppm | (Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³ | IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment**Eye Protection**
Hand ProtectionGoggles
Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments |
|---|-----------------------------------|-----------------|------------------------|
| Natural rubber Nitrile rubber Neoprene PVC | See manufacturers recommendations | - | Splash protection only |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Recommended Filter type: Particulates filter conforming to EN 143 Inorganic gases and vapours filter Type B Grey conforming to EN14387

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

| | |
|--|---------------------------|
| Physical State | Liquid |
| Appearance | Clear |
| Odor | Slight |
| Odor Threshold | No information available |
| pH | No information available |
| Melting Point/Range | 0 °C / 32 °F |
| Boiling Point/Range | 100 °C / 212 °F @ 760mmHg |
| Flash Point | No information available |
| Evaporation Rate | No information available |
| Flammability (solid,gas) | Not applicable |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | 23.3 mmHg @ 30°C |
| Vapor Density | > 1.00 (Air = 1.0) |
| Specific Gravity | 1.00 |
| Solubility | Soluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | No information available |
| Viscosity | No information available |
| Molecular Formula | H2 O2 |
| Molecular Weight | 34 |

10. Stability and reactivity

| | |
|---|--|
| Reactive Hazard | None known, based on information available |
| Stability | Light sensitive. |
| Conditions to Avoid | Incompatible products. Excess heat. Exposure to light. |
| Incompatible Materials | Powdered metals, Powdered metal salts |
| Hazardous Decomposition Products | oxygen |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|---|------------------------|---|
| Water | - | Not listed | Not listed |
| Hydrogen peroxide | 376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol) | >2000 mg/kg (Rabbit) | LC50 = 2000 mg/m ³ (Rat) 4 h |
| Acetic acid | 3310 mg/kg (Rat) | - | > 40 mg/L (Rat) 4 h |

Toxicologically Synergistic Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Severe eye irritant

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|-------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Hydrogen peroxide | 7722-84-1 | Not listed | Not listed | A3 | Not listed | A3 |
| Acetic acid | 64-19-7 | Not listed | Not listed | Not listed | Not listed | Not listed |

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects

No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

| | |
|---|--|
| Teratogenicity | No information available. |
| STOT - single exposure | None known |
| STOT - repeated exposure | None known |
| Aspiration hazard | No information available |
| Symptoms / effects, both acute and delayed | No information available |
| Endocrine Disruptor Information | No information available |
| Other Adverse Effects | The toxicological properties have not been fully investigated. |

12. Ecological information

Ecotoxicity

Contains a substance which is: Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|-------------------|--|---|--------------------|
| Hydrogen peroxide | EC50 2.5 mg/L/72h | LC50: 16.4 mg/L/96h (P.promelas) | Not listed | EC50 7.7 mg/L/24h |
| Acetic acid | - | Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h | Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min | EC50 = 95 mg/L/24h |

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

| Component | log Pow |
|-------------------|---------|
| Hydrogen peroxide | -1.1 |
| Acetic acid | -0.2 |

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

| | |
|-----------------|---------------|
| DOT | Not regulated |
| TDG | Not regulated |
| IATA | Not regulated |
| IMDG/IMO | Not regulated |

15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (ECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

International Inventories

| Component | DSL | NDSL | TSCA | EINECS | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|-------------------|-----|------|------|-----------|--------|-----|-------|------|------|-------|--------------|
| Water | X | - | X | 231-791-2 | - | | X | - | X | X | KE-3540 0 |
| Hydrogen peroxide | X | - | X | 231-765-0 | - | | X | X | X | X | KE-2020 4 |
| Acetic acid | X | - | X | 200-580-7 | - | | X | X | X | X | X |

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

| Component | Canada - National Pollutant Release Inventory (NPRI) | Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances | Canada's Chemicals Management Plan (CEPA) |
|-------------|--|---|---|
| Acetic acid | Part 4 Substance | | |

Legend

NPRI - National Pollutant Release Inventory

16. Other information

Prepared By

Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date

09-June-2009

Revision Date

25-April-2019

Print Date

25-April-2019

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS